

## **Publicaciones seleccionadas (J.D. Asís - 2006 – 2020)**

- Rosas-Ramos, N., Baños-Picón, L., Tormos, J. y **Asís, J.D.** 2020. Farming system shapes traits and composition of spider assemblages in Mediterranean cherry orchards. *PeerJ*, (2020): 1-23. DOI 10.7717/peerj.8856.
- Rosas-Ramos, N., Baños-Picón, L., Tormos, J. y **Asís, J.D.** 2020. Natural enemies and pollinators in traditional cherry orchards: Functionally important taxa respond differently to farming system. *Agriculture, Ecosystems and Environment*, 295 (2020) 106920: 1-10. DOI: <https://doi.org/10.1016/j.agee.2020.106920>.
- Polidori, C., Ballesteros, Y., Wurdack, M., **Asís, J.D.**, Tormos, J., Baños-Picón, L. y Schmitt, T. 2020. Low host specialization in the cuckoo wasp, *Parnopes grandior*, weakens chemical mimicry but does not lead to local adaption. *Insects*, 11, 136. DOI: doi:10.3390/insects11020136.
- Rosas-Ramos, N., Baños-Picón, L., Trivellone, V., Moretti, M., Tormos, J. y **Asís, J.D.** 2019. Ecological infrastructures across Mediterranean agroecosystems: Towards an effective tool for evaluating their ecological quality. *Agricultural Systems*, 173: 355–363. DOI: doi.org/10.1016/j.aggsy.2019.03.017.
- Martin, E.A., Dainese, M., Clough, Y., Baldi, A., Bommarco, R...., **Asís, J.D.** (65/17),..., Steffan-Deweter, I. 2019. The interplay of landscape composition and configuration: new pathways to manage functional biodiversity and agroecosystem services across Europe. *Ecology Letters*, 22: 1083-1094. DOI: doi: 10.1111/ele.13265.
- Rosas-Ramos, N., Baños-Picón, L., Tormos, J. y **Asís, J.D.** 2019. The complementarity between ecological infrastructure types benefits natural enemies and pollinators in a Mediterranean vineyard agroecosystem. *Annals of Applied Biology*, DOI: 10.1111/aab.12529.
- de Pedro, L., Tormos, J., Harbi, A., Ferrara, F., Sabater-Muñoz, B., **Asís, J.D.** y Beitia, F. 2019. Combined use of the larvo-pupal parasitoids *Diachasmimorpha longicaudata* and *Aganaspis daci* for biological control of the medfly. *Annals of Applied Biology*, 174: 40-50. DOI: 10.1111/aab.12468.
- Tormos, J., Beitia, F., **Asís, J.D.** y de Pedro, L. 2018. Natal host and learning as factors in host preference by *Spalangia cameroni* Perkins (Hymenoptera: Pteromalidae). *Crop Protection*, 110: 155-159. DOI <https://doi.org/10.1016/j.cropro.2017.11.014>.
- Tormos, J., Beitia, F., **Asís, J.D.** y de Pedro, L. 2018. Intraguild interactions between two biological control agents in citrus fruit: implications for biological control of medfly. *Annals of Applied Biology*, 172: 321-331. DOI doi:10.1111/aab.12422.
- Rosas-Ramos, N., Baños-Picón, L., Tobajas, E., Paz, V. de, Tormos, J. y **Asís, J.D.** 2018. Value of ecological infrastructure diversity in the maintenance of spider assemblages: A case study of Mediterranean vineyard agroecosystems. *Agriculture, Ecosystems and Environment*, 265: 244-253. DOI <https://doi.org/10.1016/j.agee.2018.06.026>.

- de Pedro, F., Tormos, J., **Asís, J.D.**, Sabater-Muñoz, B. y Beitia, F. 2018. Biology of *Aganaspis daci* (Hymenoptera: Figitidae), parasitoid of *Ceratitis capitata* (Diptera: Tephritidae): Mode of reproduction, biological parameters and superparasitism. *Crop Protection*, 108: 54-61. DOI: <https://doi.org/10.1016/j.cropro.2018.02.015>.
- Polidori, C., Giordani, I., Wurdack, M., Tormos, J., **Asís, J.D.** y Schmitt, T. 2017. Post-mating shift towards longer chain cuticular hydrocarbons drastically reduces female attractiveness to males in a digger wasp. *Journal of Insect Physiology*, 100: 119-127.
- de Pedro, L., Beitia, F., Ferrara, F., **Asís, J.D.**, Sabater-Muñoz, B. y Tormos, J. 2017. Effect of host density and location on the percentage parasitism, fertility and induced mortality of *Aganaspis daci* (Hymenoptera: Figitidae), a parasitoid of *Ceratitis capitata* (Diptera: Tephritidae). *Crop Protection*, 92: 160-167.
- Rosas-Ramos, N., Baños-Picón, L., Tobajas, E., Tormos, J., **Asís, J.D.** 2017. Both landscape and local scale factors matter for the parental investment strategies of the solitary bee *Osmia caerulescens* L. in agroecosystems. *Journal of Apicultural Research*, 56: 1-12.
- Ballesteros, Y., Polidori, C., Tormos, J., Baños-Picón, L., **Asís, J.D.** 2016. Falling victim to wasps in the air: a fate driven by prey flight morphology? *Plos One*, 11: e0152256: 1-15.
- de Pedro, L., Beitia, F., Sabater-Muñoz, B. **Asís, J.D.** y Tormos, J. 2016. Effect of temperature on the developmental time, survival of immatures and adult longevity of *Aganaspis daci* (Hymenoptera: Figitidae), a natural enemy of *Ceratitis capitata* (Diptera: Tephritidae). *Crop Protection*, 85: 17-22.
- Beitia, F., Valencia, E., Peris, B., Pedro, L. de, **Asís, J.D.** y Tormos, J. 2016. Influence of natal host on parasitism by *Spalangia cameroni* (Hymenoptera: Pteromalidae). *European Journal of Entomology*, 113: 99-103.
- Cruz-Sánchez, M.A., **Asís, J.D.**, González, J.A., Tormos, J. y Gayubo, S.F. 2014. Wildfires: its influence on the diversity parameters of predatory-insect communities in a Mediterranean agroecosystem of European interest. *Journal of Insect Conservation*, 18: 903-908.
- Ballesteros, Y., Polidori, C., Tormos, J., Baños-Picón, L. y **Asís, J.D.** 2014. Complex-to-predict generational shift between nested and clustered organization of individual prey networks in digger wasps. *Plos One*, 9 (e102325): 1-10.
- Tormos, J., **Asís, J.D.**, Cibrián-Tovar, D., Cibrián-Llandleral, V.D., Barrera, U.M., Melika, G. y Pujade-Villar, J. 2014. Description of the mature larva of *Synergus filicornis* (Hymenoptera: Cynipidae: Synergini), with notes on the immature larvae. *Florida Entomologist*, 97: 540-548.
- Tormos, J., Sabater-Muñoz, B., **Asís, J.D.** y Beitia, F. 2014. Validation of a methodology for rearing *Spalangia cameroni* (Hymenoptera: Pteromalidae) on *Ceratitis capitata* (Diptera: Tephritidae). *Canadian Entomologist*, 00: 1-14.

- Asís, J.D.**, Ballesteros, Y., Tormos, J., Baños-Picón, L. y Polidori, C. 2014. Spatial nest-settlement decisions in digger wasps: conspecifics matter more than heterospecifics and previous experience. *Ethology*, 120: 1-14.
- Tormos, J., Pedro, L. de, Beitia, F., Sabater, B., **Asís, J.D.** y Polidori, C. 2013. Development, preimaginal phases and adult sensillar equipment in *Aganaspis* parasitoids (Hymenoptera: Encyrtidae) of fruit flies. *Microscopy and Microanalysis*, 19: 1475-1489.
- Baños-Picón, L., Torres, F., Gayubo, S.F., Tormos, J. y **Asís, J.D.** 2013. Comparison of two Mediterranean crop systems: polycrop favours trap-nesting solitary bees over monocrop. *Basic Applied Ecology*, 14: 255-262.
- Ballesteros, Y., Tormos, J., Gayubo, S.F. y **Asís, J.D.** 2013. Notes on the prey, nesting behaviour and natural enemies of three *Bembix* sand wasps (Hymenoptera: Crabronidae) in the Iberian Peninsula. *Annales Société Entomologique France*, 48: 281-288.
- Polidori, C., Benéitez, A., **Asís, J.D.** y Tormos, J. 2013. Scramble competition by males of the velvet ant *Nemka viduata* (Hymenoptera: Mutillidae). *Behaviour*, 150: 23-27.
- Polidori, C., Ballesteros, Y., Santoro, D., Tormos, J. y **Asís, J.D.** 2012. Morphological distance and inter-nest distance account for intra-specific prey overlap in digger wasps (Hymenoptera: Crabronidae). *Population Ecology*, 54: 443-454.
- Tormos, J., **Asís, J.D.**, Sabater-Muñoz, B., Baños, L., Gayubo, S.F. y Beitia, F. 2012. Superparasitism in laboratory rearing of *Spalangia cameroni* (Hymenoptera: Pteromalidae) a parasitoid of medfly (Diptera: Tephritidae). *Bulletin of Entomological Research*, 102: 51-61.
- Santoro, D., Polidori, C., **Asís, J.D.** y Tormos, J. 2011. Complex interactions between components of individual prey specialization affect mechanisms of niche variation in a grasshopper-hunting wasp. *Journal of Animal Ecology*, 80: 1123-1133.
- Asís, J.D.**, Baños-Picón, L., Tormos, J., Ballesteros, Y., Alonso, M. y Gayubo, S.F. 2011. Are solitary progressive-provisioning wasps optimal foragers? A study with the digger wasp *Bembix merceti* (Hymenoptera: Crabronidae). *Behaviour*, 148: 191-214.
- Cruz-Sánchez, M.A., **Asís, J.D.**, Gayubo, S.F., Tormos, J. y González, J.A. 2011. The effects of wildfire on Spheciformes wasp community structure: the importance of local habitat conditions. *Journal of Insect Conservation*, 15: 487-503.
- Dardón, M.J., Torres, F. y **Asís, J.D.** 2010. Analysis of the diversity of Megachilidae bees on the northern subplateau of the Iberian Peninsula. *Journal of Insect Science*, 10: 209: 1-17.
- Tormos, J., **Asís, J.D.**, Baños-Picón, L. y Gayubo, S.F. 2010. Description of the mature larvae of two species of *Liris* with notes on the immature stages of *L. niger* (Hymenoptera: Crabronidae). *Florida Entomologist*, 93: 510-515.

- Polidori, C., Mendiola, P., **Asís, J.D.**, Tormos, J. y Selfa, J. 2010. Temporal asynchrony and spatial co-occurrence with the host: the foraging patterns of *Nemka viduata*, a parasitoid of digger wasps (Hymenoptera: Mutillidae and Crabronidae). *Journal of Ethology*, 28: 353-361.
- Polidori, C., Giordani, I., Mendiola, P., **Asís, J.D.**, Tormos, J. y Selfa, J. 2010. Emergence and dispersal relative to natal nest in the digger wasp *Stizus continuus* (Hymenoptera: Crabronidae). *Comptes Rendus Biologie*, 333: 255-264.
- Tormos, J., Beitia, F., Alonso, M., **Asís, J.D.** y Gayubo, S.F. 2010. Assessment of *Ceratitis capitata* (Diptera, Tephritidae) pupae killed by heat or cold as hosts for rearing *Spalangia cameroni* (Hymenoptera: Pteromalidae). *Annals of Applied Biology*, 2010: 179-185.
- Polidori, C., Mendiola, P., **Asís, J.D.**, Tormos, J., García, M.D. y Selfa, J. 2009. Predatory habits of the grasshopper-hunting wasp *Stizus continuus* (Hymenoptera: Crabronidae): diet preference, predator-prey size relationships and foraging capacity. *Journal of Natural History*, 43: 2985-3000.
- Tormos, J., **Asís, J.D.**, Polidori, C., Benéitez, A. y Storino, G. 2009. The mating behaviour of the velvet ant, *Nemka viduata* (Hymenoptera: Mutillidae). *Journal of Insect Behavior*, 23: 117-127.
- Baños-Picón, L., **Asís, J.D.**, Gayubo, S.F. y Tormos, J. 2009. Analyzing insect community structure through the application of Taxonomic Distinctness measures. *Zoological Studies*, 48: 298-314.
- González, J.A., Gayubo, S.F., **Asís, J.D.** y Tormos, J. 2009. Diversity and biogeographical significance of solitary wasps (Chrysididae, Eumeninae, and Spheciformes) at the Arribes del Duero Natural Park, Spain: their importance for insect diversity conservation in the Mediterranean region. *Environmental Entomology*, 38: 608-626.
- Tormos, J., Beitia, F. Böckmann, E.A. y **Asís, J.D.** 2009. The preimaginal stages and development of *Spalangia cameroni* Perkins (Hymenoptera: Pteromalidae) on *Ceratitis capitata* (Wiedemann) (Diptera: Tephritidae). *Micron*, 40: 646-658.
- Tormos, J., **Asís, J.D.**, Benéitez, A. y Gayubo, S.F. 2009. Description of the mature larva of the sand wasp *Bembix bidentata* and its parasitoids (Hymenoptera: Crabronidae, Chrysididae, Mutillidae). *Florida Entomologist*, 92: 43-53.
- Polidori, C., Mendiola, P., **Asís, J.D.**, Tormos, J., Selfa, J. y Andrietti, F. 2008. Female-female attraction influences nest establishment in the digger wasp *Stizus continuus* (Hymenoptera: Crabronidae). *Animal Behaviour*, 75: 1651-1661.
- Tormos, J., Polidori, C., Boesi, R. y **Asís, J.D.** 2007. Prepupal morphology of *Trachypus denticollis* (Hymenoptera: Crabronidae), with comments on larval characters in the subfamily Philanthinae. *Journal of Entomological Science*, 42: 52-55.
- Tormos, J., **Asís, J.D.**, Polidori, C. y Boesi, R. 2007. Host association in *Chrysis fulgida* L. and description of its prepupa (Hymenoptera: Chrysididae). *Journal of Entomological Science*, 42: 193-199.

-**Asís, J.D.**, Benéitez, A., Tormos, J., Gayubo, S.F. y Martín, M.A. 2007. The significance of the vestibular cell in trap nesting wasps (Hymenoptera: Crabronidae): Does its presence reduce mortality?. *Journal of Insect Behavior*, 20: 289-305.

-**Asís, J.D.**, Tormos, J. y Gayubo, S.F. 2006. Territorial dynamics and contest behaviour in the solitary wasp *Stizus continuus* (Hymenoptera: Apoidea: Crabronidae). *Behaviour*, 143: 83-104.